




บริษัท แหนค ส. เจริญกิจ จำกัด
KNACK S. CHAREONKIJ CO.,LTD.

MANHOLE COVER


MODEL : HL-MEDIUM DUTY

ISO 9001

BUREAU VERITAS
Certification



TOP VIEW



SECTION A - A

| SERIES NO. | ØA | B | C | D | ØH |
|------------|-----|----|----|-----|-----|
| 600 | 640 | 50 | 10 | 718 | 600 |
| 800 | 840 | 60 | 10 | 918 | 800 |

*Capacity Load = 12.5 Ton

MATERIAL

DUCTILE CAST IRON COMPLY WITH ISO 1083 GRADE 500-7

FINISHING

COATING WITH ACRYLIC MATT # BLACK COLOR

CONFORMS WITH BS EN124

III DIMENSION IN MM. III




บริษัท แหนค ส. เจริญกิจ จำกัด
KNACK S. CHAREONKIJ CO.,LTD.

MANHOLE COVER


MODEL : HL-MEDIUM DUTY

ISO 9001

BUREAU VERITAS
Certification



TOP VIEW



SECTION A - A

| SERIES NO. | ØA | B | C | D | ØH |
|------------|-----|----|----|-----|-----|
| 600 | 640 | 50 | 10 | 718 | 600 |
| 800 | 840 | 60 | 10 | 918 | 800 |

*Capacity Load = 12.5 Ton

MATERIAL

DUCTILE CAST IRON COMPLY WITH ISO 1083 GRADE 500-7

FINISHING

COATING WITH ACRYLIC MATT # BLACK COLOR

CONFORMS WITH BS EN124

III DIMENSION IN MM. III




บริษัท แหนค ส. เจริญกิจ จำกัด
KNACK S. CHAREONKIJ CO.,LTD.

MANHOLE COVER


MODEL : HL-MEDIUM DUTY

ISO 9001

BUREAU VERITAS
Certification



TOP VIEW



SECTION A - A

| SERIES NO. | ØA | B | C | D | ØH |
|------------|-----|----|----|-----|-----|
| 600 | 640 | 50 | 10 | 718 | 600 |
| 800 | 840 | 60 | 10 | 918 | 800 |

*Capacity Load = 12.5 Ton

MATERIAL

DUCTILE CAST IRON COMPLY WITH ISO 1083 GRADE 500-7

FINISHING

COATING WITH ACRYLIC MATT # BLACK COLOR

CONFORMS WITH BS EN124

III DIMENSION IN MM. III